

Freeform Search

Database:	<div style="border: 1px solid black; padding: 2px;"> US Pre-Grant Publication Full-Text Database US Patents Full-Text Database US OCR Full-Text Database EPO Abstracts Database JPO Abstracts Database Derwent World Patents Index IBM Technical Disclosure Bulletins </div>
Term:	<div style="border: 1px solid black; padding: 2px;"> L17 and "spherical sensor" </div>
Display:	<div style="border: 1px solid black; padding: 2px;"> 10 Documents in Display Format: <div style="border: 1px solid black; padding: 2px;">-</div> Starting with Number <div style="border: 1px solid black; padding: 2px;">1</div> </div>
Generate: <input type="radio"/> Hit List <input checked="" type="radio"/> Hit Count <input type="radio"/> Side by Side <input type="radio"/> Image	

Search

Clear

Interrupt

Search History

DATE: Friday, September 24, 2004 [Printable Copy](#) [Create Case](#)

<u>Set Name</u> side by side	<u>Query</u>	<u>Hit Count</u>	<u>Set Name</u> result set
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ</i>			
<u>L19</u>	L17 and "spherical sensor"	3	<u>L19</u>
<u>L18</u>	L17 and "tubular sensor"	16	<u>L18</u>
<u>L17</u>	374/\$	33174	<u>L17</u>
<u>L16</u>	L14 and "electronic thermometer"	69	<u>L16</u>
<u>L15</u>	L14 and "aquarium"	9	<u>L15</u>
<u>L14</u>	D10/57	1290	<u>L14</u>
<u>L13</u>	D10/\$	40530	<u>L13</u>
<u>L12</u>	DI10/\$	3	<u>L12</u>
<u>L11</u>	des10	148	<u>L11</u>
<u>L10</u>	L6 and "indicator"	563	<u>L10</u>
<u>L9</u>	L6 and "pivotal joint"	0	<u>L9</u>
<u>L8</u>	L6 and "pivotal support"	2	<u>L8</u>
<u>L7</u>	L6 and "disk shape"	2	<u>L7</u>
<u>L6</u>	116/216	1007	<u>L6</u>
<u>L5</u>	374/151	98	<u>L5</u>
<u>L4</u>	L1 and "disk shape"	6	<u>L4</u>

<u>L3</u>	L2 and "disk shape"
<u>L2</u>	L1 and "support"
<u>L1</u>	374/208

3	<u>L3</u>
539	<u>L2</u>
1843	<u>L1</u>

END OF SEARCH HISTORY

Freeform Search

Database:	US Pre-Grant Publication Full-Text Database US Patents Full-Text Database US OCR Full-Text Database EPO Abstracts Database JPO Abstracts Database Derwent World Patents Index IBM Technical Disclosure Bulletins
Term:	L23 and "calibration button"
Display:	<input type="text" value="10"/> Documents in Display Format: <input type="text" value="-"/> Starting with Number <input type="text" value="1"/>
Generate: <input type="radio"/> Hit List <input checked="" type="radio"/> Hit Count <input type="radio"/> Side by Side <input type="radio"/> Image	

Search History

DATE: Friday, September 24, 2004
 [Printable Copy](#)
 [Create Case](#)

<u>Set Name</u> side by side	<u>Query</u>	<u>Hit Count</u>	<u>Set Name</u> result set
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ</i>			
<u>L24</u>	L23 and "calibration button"	27	<u>L24</u>
<u>L23</u>	600/\$	76408	<u>L23</u>
<u>L22</u>	L5 and "calibration button"	6	<u>L22</u>
<u>L21</u>	L5 and "calibration switch"	19	<u>L21</u>
<u>L20</u>	L2 and "calibration switch"	2	<u>L20</u>
<u>L19</u>	L2 and "calibration button"	0	<u>L19</u>
<u>L18</u>	L2 and "waterproof"	20	<u>L18</u>
<u>L17</u>	L5 and "flexible probe"	31	<u>L17</u>
<u>L16</u>	L5 and "bendable probe"	0	<u>L16</u>
<u>L15</u>	L5 and "disk-shaped housing"	1	<u>L15</u>
<u>L14</u>	L5 and "disk-shaped"	140	<u>L14</u>
<u>L13</u>	temperature measuring disk	2	<u>L13</u>
<i>DB=USPT; PLUR=YES; OP=ADJ</i>			
<u>L12</u>	6241385.pn.	1	<u>L12</u>
<u>L11</u>	6241384.pn.	1	<u>L11</u>
<u>L10</u>	5874736.pn.	1	<u>L10</u>

DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ

<u>L9</u>	L5 and "cylindrical shape"	522	<u>L9</u>
<u>L8</u>	cylindrical shape thermometer	1	<u>L8</u>
<u>L7</u>	cylindrical thermometer body	0	<u>L7</u>
<u>L6</u>	L5 and "cylindrical thermometer"	4	<u>L6</u>
<u>L5</u>	374/\$	33174	<u>L5</u>
<u>L4</u>	L2 and "cylindrical body"	17	<u>L4</u>
<u>L3</u>	L2 and "clinical thermometer"	205	<u>L3</u>
<u>L2</u>	374/163	1818	<u>L2</u>
<u>L1</u>	374/151	98	<u>L1</u>

END OF SEARCH HISTORY